

SWEET ANNIE & ARTEMISININ: SELECTIVE BIBLIOGRAPHY

Articles of particular interest are marked ●

GENERAL

De Jesus-Gonzalez, L. and P. J. Weathers (2003). "Tetraploid *Artemisia annua* hairy roots produce more artemisinin than diploids." *Plant Cell Rep* 21(8): 809-13.

Eelco Wallaart, T., N. Pras, et al. (1999). "Seasonal variations of Artemisinin and its biosynthetic precursors in tetraploid *Artemisia annua* plants compared with the diploid wild-type." *Planta Med* 65(8): 723-8.

Ferreira, J. and J. Janick (1996). Distribution of artemisinin in *Artemisia annua*. Progress in new crops. J. Janick. <http://www.hort.purdue.edu/newcrop/proceedings1996/v3-578.html>. 7/30/2003.

Spiridonov, N. A., D. A. Konovalov, et al. (2005). "Cytotoxicity of some Russian ethnomedicinal plants and plant compounds." *Phytother Res* 19(5): 428-32.

● Wright, C., Ed. (2002). *Artemisia. Medicinal and Aromatic Plants - Industrial profiles*. London, Taylor and Francis.

PHARMACOKINETICS

Benakis, A., M. Paris, et al. (1997). "Pharmacokinetics of artemisinin and artesunate after oral administration in healthy volunteers." *Am J Trop Med Hyg* 56(1): 17-23.

● Burk, O., K. A. Arnold, et al. (2005). "Anti-malarial artemisinin drugs induce CYP and MDR1 expression by activation of xenosensors pregnane X receptor and constitutive androstane receptor." *Mol Pharmacol*.

Gordi, T., D. X. Huong, et al. (2002). "Artemisinin pharmacokinetics and efficacy in uncomplicated-malaria patients treated with two different dosage regimens." *Antimicrob Agents Chemother* 46(4): 1026-31.

Grace, J. M., A. J. Aguilar, et al. (1998). "Metabolism of beta-artether to dihydroqinghaosu by human liver microsomes and recombinant cytochrome P450." *Drug Metab Dispos* 26(4): 313-7.

Gupta, S., U. S. Svensson, et al. (2001). "In vitro evidence for auto-induction of artemisinin metabolism in the rat." *Eur J Drug Metab Pharmacokinet* 26(3): 173-8.

Lee, I. S. and C. D. Hufford (1990). "Metabolism of antimalarial sesquiterpene lactones." *Pharmacol Ther* 48(3): 345-55.

Rath, K., K. Taxis, et al. (2004). "Pharmacokinetic study of artemisinin after oral intake of a traditional preparation of *Artemisia annua* L. (annual wormwood)." *Am J Trop Med Hyg* 70(2): 128-32.

Sangwan, R. S., K. Agarwal, et al. (1993). "Biotransformation of arteannuic acid into arteannuin-B and artemisinin in *Artemisia annua*." *Phytochemistry* 34(5): 1301-1302.

Sidhu, J. S., M. Ashton, et al. (1998). "Artemisinin population pharmacokinetics in children and adults with uncomplicated falciparum malaria." *Br J Clin Pharmacol* 45(4): 347-54.

Simonsson, U. S., B. Jansson, et al. (2003). "Artemisinin autoinduction is caused by involvement of cytochrome P450 2B6 but not 2C9." *Clin Pharmacol Ther* 74(1): 32-43.

Svensson, U. S. and M. Ashton (1999). "Identification of the human cytochrome P450 enzymes involved in the in vitro metabolism of artemisinin." *Br J Clin Pharmacol* 48(4): 528-35.

Svensson, U. S., M. Ashton, et al. (1998). "Artemisinin induces omeprazole metabolism in human beings." *Clin Pharmacol Ther* **64**(2): 160-7.

Svensson, U. S., M. Maki-Jouppila, et al. (2003). "Characterisation of the human liver in vitro metabolic pattern of artemisinin and auto-induction in the rat by use of nonlinear mixed effects modelling." *Biopharm Drug Dispos* **24**(2): 71-85.

van Agtmael, M. A., S. Cheng-Qi, et al. (1999). "Multiple dose pharmacokinetics of artemether in Chinese patients with uncomplicated falciparum malaria." *Int J Antimicrob Agents* **12**(2): 151-8.

van Agtmael, M. A., V. Gupta, et al. (1999). "Grapefruit juice increases the bioavailability of artemether." *Eur J Clin Pharmacol* **55**(5): 405-10.

Zhang, S. Q., T. N. Hai, et al. (2001). "Multiple dose study of interactions between artesunate and artemisinin in healthy volunteers." *Br J Clin Pharmacol* **52**(4): 377-85.

TOXICOLOGY

Gordi, T. and E. I. Lepist (2004). "Artemisinin derivatives: toxic for laboratory animals, safe for humans?" *Toxicol Lett* **147**(2): 99-107.

Kamchonwongpaisan, S., P. McKeever, et al. (1997). "Artemisinin neurotoxicity: neuropathology in rats and mechanistic studies in vitro." *Am J Trop Med Hyg* **56**(1): 7-12.

McLean, W. G. and S. A. Ward (1998). "In vitro neurotoxicity of artemisinin derivatives." *Med Trop (Mars)* **58**(3 Suppl): 28-31.

Mithwani, S., L. Aarons, et al. (2004). "Population pharmacokinetics of artemether and dihydroartemisinin following single intramuscular dosing of artemether in African children with severe falciparum malaria." *Br J Clin Pharmacol* **57**(2): 146-52.

Navaratnam, V., S. M. Mansor, et al. (2000). "Pharmacokinetics of artemisinin-type compounds." *Clin Pharmacokinet* **39**(4): 255-70.

Panossian, L. A., N. I. Garga, et al. (2005). "Toxic brainstem encephalopathy after artemisinin treatment for breast cancer." *Ann Neurol* **58**(5): 812-813.

Ribeiro, I. R. and P. Olliaro (1998). "Safety of artemisinin and its derivatives. A review of published and unpublished clinical trials." *Med Trop (Mars)* **58**(3 Suppl): 50-3.

Smith, S. L., C. J. Sadler, et al. (2001). "The role of glutathione in the neurotoxicity of artemisinin derivatives in vitro." *Biochem Pharmacol* **61**(4): 409-16.

ANTIMALARIAL

Garner, P. and P. M. Graves (2005). "The Benefits of Artemisinin Combination Therapy for Malaria Extend Beyond the Individual Patient." *PLoS Medicine* **2**(4): e105.

Jefford, C. W. (2001). "Why artemisinin and certain synthetic peroxides are potent antimalarials. Implications for the mode of action." *Curr Med Chem* **8**(15): 1803-26.

Kannan, R., K. Kumar, et al. (2005). "Reaction of artemisinin with haemoglobin: implications for antimalarial activity." *Biochem J* **385**(Pt 2): 409-18.

Kannan, R., D. Sahal, et al. (2002). "Heme-artemisinin adducts are crucial mediators of the ability of artemisinin to inhibit heme polymerization." *Chem Biol* 9(3): 321-32.

Liu, K. C.-S. C., S.-L. Yang, et al. (1992). "Antimalarial activity of *Artemisia annua* flavonoids from whole plants and cell cultures." *Plant Cell Reports* 11: 637-640

Messori, L., C. Gabbiani, et al. (2006). "The reaction of artemisinins with hemoglobin: A unified picture." *Bioorg Med Chem*.

Mueller, M. S., N. Runyambo, et al. (2004). "Randomized controlled trial of a traditional preparation of *Artemisia annua* L. (Annual Wormwood) in the treatment of malaria." *Trans R Soc Trop Med Hyg* 98(5): 318-21.

Pandey, A. V., B. L. Tekwani, et al. (1999). "Artemisinin, an endoperoxide antimalarial, disrupts the hemoglobin catabolism and heme detoxification systems in malarial parasite." *J Biol Chem* 274(27): 19383-8.

Robert, A., Y. Coppel, et al. (2002). "Alkylation of heme by the antimalarial drug artemisinin." *Chem Commun (Camb)*(5): 414-5.

Tran, T. H., C. Dolecek, et al. (2004). "Dihydroartemisinin-piperaquine against multidrug-resistant *Plasmodium falciparum* malaria in Vietnam: randomised clinical trial." *Lancet* 363(9402): 18-22.

Wright, C. W. (2005). "Traditional antimalarials and the development of novel antimalarial drugs." *Journal of Ethnopharmacology* 100(1-2): 67-71.

ANTICANCER

Beekman, A. C., P. K. Wierenga, et al. (1998). "Artemisinin-derived sesquiterpene lactones as potential antitumour compounds: cytotoxic action against bone marrow and tumour cells." *Planta Med* 64(7): 615-9.

Beekman, A. C., H. J. Woerdenbag, et al. (1997). "Stability of artemisinin in aqueous environments: impact on its cytotoxic action to Ehrlich ascites tumour cells." *J Pharm Pharmacol* 49(12): 1254-8.

● Berger, T. G., D. Dieckmann, et al. (2005). "Artesunate in the treatment of metastatic uveal melanoma - first experiences." *Oncol Rep* 14(6): 1599-603.

Chen, H. H., H. J. Zhou, et al. (2003). "Inhibition of human cancer cell line growth and human umbilical vein endothelial cell angiogenesis by artemisinin derivatives in vitro." *Pharmacol Res* 48(3): 231-236.

Disbrow, G. L., A. C. Baega, et al. (2005). "Dihydroartemisinin Is Cytotoxic to Papillomavirus-Expressing Epithelial Cells In vitro and In vivo." *Cancer Res* 65(23): 10854-61.

● Efferth, T. (2005). "Mechanistic perspectives for 1,2,4-trioxanes in anti-cancer therapy." *Drug Resist Updat* 8(1-2): 85-97.

● Efferth, T., M. Davey, et al. (2002). "Activity of drugs from traditional Chinese medicine toward sensitive and MDR1- or MRP1-overexpressing multidrug-resistant human CCRF-CEM leukemia cells." *Blood Cells Mol Dis* 28(2): 160-8.

Efferth, T., H. Dunstan, et al. (2001). "The anti-malarial artesunate is also active against cancer." *Int J Oncol* 18(4): 767-73.

Efferth, T., A. Olbrich, et al. (2002). "mRNA expression profiles for the response of human tumor cell lines to the antimalarial drugs artesunate, arteether, and artemether." *Biochem Pharmacol* 64(4): 617-23.

● Efferth, T., A. Sauerbrey, et al. (2003). "Molecular modes of action of artesunate in tumor cell lines." *Mol Pharmacol* 64(2): 382-94.

Huan-huan, C., Y. Li-Li, et al. (2004). "Artesunate reduces chicken chorioallantoic membrane neovascularisation and exhibits antiangiogenic and apoptotic activity on human microvascular dermal endothelial cell." *Cancer Lett* 211(2): 163-73.

Jung, M., J. Tak, et al. (2006). "Antiangiogenic activity of deoxyartemisinin derivatives on chorioallantoic membrane." *Bioorg Med Chem Lett* **16**(5): 1227-30.

● Kim, S. J., M. S. Kim, et al. (2005). "Dihydroartemisinin enhances radiosensitivity of human glioma cells in vitro." *J Cancer Res Clin Oncol*: 1-7.

● Lai, H., T. Sasaki, et al. (2005). "Effects of artemisinin-tagged holotransferrin on cancer cells." *Life Sci* **76**(11): 1267-79.
Artemisinin reacts with iron to form free radicals that kill cells. Since cancer cells uptake relatively large amount of iron than normal

● Lai, H., T. Sasaki, et al. (2005). "Targeted treatment of cancer with artemisinin and artemisinin-tagged iron-carrying compounds." *Expert Opin Ther Targets* **9**(5): 995-1007.

● Lai, H. and N. P. Singh (2006). "Oral artemisinin prevents and delays the development of 7,12-dimethylbenz[a]anthracene (DMBA)-induced breast cancer in the rat." *Cancer Lett* **231**(1): 43-8.

● Lee, J., H. J. Zhou, et al. (2006). "Dihydroartemisinin downregulates vascular endothelial growth factor expression and induces apoptosis in chronic myeloid leukemia K562 cells." *Cancer Chemother Pharmacol* **57**(2): 213-20.

Li, Y., F. Shan, et al. (2001). "Novel antitumor artemisinin derivatives targeting G1 phase of the cell cycle." *Bioorg Med Chem Lett* **11**(1): 5-8.

Moore, J. C., H. Lai, et al. (1995). "Oral administration of dihydroartemisinin and ferrous sulfate retarded implanted fibrosarcoma growth in the rat." *Cancer Lett* **98**(1): 83-7.

Mukanganyama, S., M. Widersten, et al. (2002). "Inhibition of glutathione S-transferases by antimalarial drugs possible implications for circumventing anticancer drug resistance." *Int J Cancer* **97**(5): 700-5.

Payne, A. G. (2003). "Exploiting intracellular iron and iron-rich compounds to effect tumor cell lysis." *Med Hypotheses* **61**(2): 206-9.

● Reungpatthanaphong, P. and S. Mankhetkorn (2002). "Modulation of multidrug resistance by artemisinin, artesunate and dihydroartemisinin in K562/adr and GLC4/adr resistant cell lines." *Biol Pharm Bull* **25**(12): 1555-61.

Sadava, D., T. Phillips, et al. (2002). "Transferrin overcomes drug resistance to artemisinin in human small-cell lung carcinoma cells." *Cancer Lett* **179**(2): 151-6.

Multiple drug resistance is a significant problem in small-cell lung cancer (SCLC). Artemisinin (ART) is a natural product

● Singh, N. P. and H. C. Lai (2004). "Artemisinin induces apoptosis in human cancer cells." *Anticancer Res* **24**(4): 2277-80.

● Singh, N. and K. Verma (2002). "Case report of a laryngeal squamous cell carcinoma treated with artesunate." *Archives of Oncology* **10**(4): 279-280.

● Singh, N. P. and H. Lai (2001). "Selective toxicity of dihydroartemisinin and holotransferrin toward human breast cancer cells." *Life Sci* **70**(1): 49-56.

● Singh, N. P. and H. C. Lai (2005). "Synergistic cytotoxicity of artemisinin and sodium butyrate on human cancer cells." *Anticancer Res* **25**(6B): 4325-31.

Woerdenbag, H. J., T. A. Moskal, et al. (1993). "Cytotoxicity of artemisinin-related endoperoxides to Ehrlich ascites tumor cells." *J Nat Prod* **56**(6): 849-56.

Yamachika, E., T. Habte, et al. (2004). "Artemisinin: an alternative treatment for oral squamous cell carcinoma." *Anticancer Res* **24**(4): 2153-60.

MISCELLANEOUS MALARIA/NON CANCER

Foglio, M. A., P. C. Dias, et al. (2002). "Antiulcerogenic activity of some sesquiterpene lactones isolated from *Artemisia annua*." *Planta Med* 68(6): 515-8.

Goldring, J. P. and S. Nemaorani (1999). "Antimalarial drugs modulate the expression of monocyte receptors." *Int J Immunopharmacol* 21(9): 599-607.

Noori, S., G. A. Naderi, et al. (2004). "Immunosuppressive activity of a molecule isolated from *Artemisia annua* on DTH responses compared with cyclosporin A." *Int Immunopharmacol* 4(10-11): 1301-6.

● Stermitz, F. R., L. N. Scriven, et al. (2002). "Two Flavonols from *Artemisia annua* which Potentiate the Activity of Berberine and Norfloxacin Against a Resistant Strain of *Staphylococcus aureus*." *Planta Med* 68(12): 1140-1.

SOLUBLE TRANSFERRIN RECEPTORS/IRON

Baillie, F. J., A. E. Morrison, et al. (2003). "Soluble transferrin receptor: a discriminating assay for iron deficiency." *Clin Lab Haematol* 25(6): 353-7.

Beguín, Y. (2003). "Soluble transferrin receptor for the evaluation of erythropoiesis and iron status." *Clin Chim Acta* 329(1-2): 9-22.

Choi, J. W. (2005). "Sensitivity, specificity, and predictive value of serum soluble transferrin receptor at different stages of iron deficiency." *Ann Clin Lab Sci* 35(4): 435-9.

Kohgo, Y., Y. Torimoto, et al. (2002). "Transferrin receptor in tissue and serum: updated clinical significance of soluble receptor." *Int J Hematol* 76(3): 213-8.

Margetic, S., E. Topic, et al. (2005). "Soluble transferrin receptor and transferrin receptor-ferritin index in iron deficiency anemia and anemia in rheumatoid arthritis." *Clin Chem Lab Med* 43(3): 326-31.

Markovic, M., N. Majkic-Singh, et al. (2005). "Usefulness of soluble transferrin receptor and ferritin in iron deficiency and chronic disease." *Scand J Clin Lab Invest* 65(7): 571-6

Worwood, M. (2005). "Soluble transferrin receptor and iron homeostasis." *Haematologica* 90(1): 2.